

ANVÄNDNINGSGUIDE



VentoFlex^{Home}



VentoFlex^{Professional}

EXEMPEL PÅ TILLÄMPNINGAR



Ventoprincipen ger optimal ventilation för uttorkning av:

- Kallvindar och andra ventilerbara utrymmen i byggnader
- Husvagnar och båtar
- Förråd och containrar



Prestandan kan ökas ytterligare genom att en avfuktare eller uppvärmning kopplas på vid behov.



Även extra fläktar och spjäll kan kopplas på för att öka ventilationen ytterligare t ex vid höga temperaturer.



Strömförsörjning med vanliga jordade stickkontakter till både reglerbox och övriga enheter!




Vid köp så ställs önskade styrparametrar in av Ventotech. Värdena kan vid senare tillfälle ändras själv gratis, eller mot en kostnad, av OSS.


VENTOFLEX GER MÅNGA MÖJLIGHETER

Styr fläktar och spjäll för att optimera ventilationen enligt Ventoprincipen

Styr externa 230 VAC produkter såsom avfuktare, fläktar, spjäll, värmefläcktar och värmekabel på inställbar temperatur eller relativt fuktighetsvärde.



UTELUFTSVENTILERAT UTRYMME



VENTOFLEX PROFESSIONAL – MORE OPPORTUNITIES

Optimises ventilation by controlling the ventilation system



Controls auxiliary product on preset RH and temperature values

SMS notifications



Offers external alarm functions and integrated alarms via SMS.



Alarm Relay

VentoFlex*Professional*



Get log data & program the system remotely through cable or GSM-modem on PC or Mac



Sensor splitter

Sensors



Measure humidity and temperature in up to 10 different places